

Elenco pubblicazioni
(al 1 gennaio 2007)

a) Pubblicazioni su riviste internazionali

- 1) S. Boffi, F. Cannata e **M. Radici**,
Phenomenology of (γ, π^0) Reaction on Nuclei,
Europhys. Lett. **2** (12), (1986) 941-945;
- 2) S. Boffi, O. Nicrosini e **M. Radici**,
Nuclear Charge Form Factor in the Topological Soliton Model,
Nucl. Phys. **A 490** (1988) 585-601;
- 3) S. Boffi e **M. Radici**,
Quasi-Elastic Electron Scattering at High Momenta beyond the Impulse Approximation,
Phys. Lett. **B 242** (1990) 151-157;
- 4) S. Boffi, C. Giusti, F.D. Pacati e **M. Radici**,
Nucleon Recoil Polarization in Electromagnetic Quasi-free Knockout Including Two-body Currents,
Nucl. Phys. **A 518** (1990) 639-657;
- 5) S. Boffi e **M. Radici**,
Nuclear Response in Electromagnetic Quasi-free Knockout Including Two-body Currents,
Nucl. Phys. **A 526** (1991) 602-622;
- 6) F.D. Pacati e **M. Radici**,
Polarization Observables and Asymmetry in Electromagnetic Quasi-free Proton Knockout,
Phys. Lett.**B 257** (1991) 263-268;

- 7) S. Boffi, **M. Radici**, J.J. Kelly e T.M. Payerle,
Neutron Knockout and Isobar Excitation in Quasi-free Electron Scattering,
Nucl. Phys. A **539** (1992) 597-610;
- 8) C. Giusti, F.D. Pacati e **M. Radici**
Two-Proton Emission Induced by Real and Virtual Photons,
Nucl. Phys. A **546** (1992) 607-621;
- 9) S. Boffi, C. Giusti, F.D. Pacati e **M. Radici**,
Dynamics of Direct Photoemission of Proton-neutron Pairs,
Nucl. Phys. A **564** (1993) 473-490;
- 10) J. Mandeville, R. Alarcon, R. Beck, A. Bernstein, W. Bertozzi, W. Boeglin,
 S. Boffi, L. Cardman, J. Comfort, D. Dale, G. Dodson, S. Dolfini, K. Dow,
 M. Epstein, S. Gilad, J. Goergen, M. Holtrop, D. Jordan, W. Kim, S. Kowalski,
 R. Laszewski, D. Margaziotis, D. Martinez, T. McIlvain, R. Miskimen,
 C. Papanicolas, **M. Radici**, D. Tieger, W. Turchinetz, L. Weinstein e S.
 Williamson,
*First Measurement of the Imaginary Part of the Transverse-Longitudinal
 Nuclear Response*,
Phys. Rev. Lett. **72** (1994) 3325-3328;
- 11) **M. Radici**, S. Boffi, S.C. Pieper e V.R. Pandharipande,
Many-body effects in $^{16}O(e, e'p)$,
Phys. Rev. C **50** (1994) 3010-3017;
- 12) A. Bianconi e **M. Radici**,
A Test of the Eikonal Approximation in High-Energy $(e, e'p)$ scattering,
Phys. Lett. B **363** (1995) 24-28;
- 13) A. Bianconi e **M. Radici**,
 $(e, e'p)$ Reaction and the Transition to the Eikonal Regime,
Phys. Rev. C **53** (1996) R563-R566;

- 14) A. Bianconi e **M. Radici**,
Angular Distributions for Knockout and Scattering of Protons in the Eikonal Approximation,
Phys. Rev. **C54** (1996) 3117-3124;
- 15) A. Polls, **M. Radici**, S. Boffi, W.H. Dickhoff e H. Müther,
High-momentum Proton Removal from ^{16}O and the $(e, e' p)$ Cross Section,
Phys. Rev. **C55** (1997) 810-819;
- 16) E. Perazzi, **M. Radici** e S. Boffi,
Photocouplings of Nucleon Resonances with Gluon and Pion Exchange Currents,
Nucl. Phys. **A 614** (1997) 346-360;
- 17) A. Bianconi e **M. Radici**,
Helicity Asymmetry for Proton Emission from Polarized Electrons in the Eikonal Regime,
Phys. Rev. **C56** (1997) 1002-1010;
- 18) Ye.S. Golubeva, L.A. Kondratyuk, A. Bianconi, S. Boffi e **M. Radici**,
Nuclear Transparency in quasielastic $A(e, e' p)$: Intranuclear Cascade versus Eikonal Approximation,
Phys. Rev. **C57** (1998) 2618-2627;
- 19) S. Boffi, F. Capuzzi, P. Demetriou e **M. Radici**,
Semi-relativistic charge-current density operator,
Nucl. Phys. **A637** (1998) 585-600;
- 20) S. Boffi, P. Demetriou, **M. Radici** e R.F. Wagenbrunn,
Nucleon Form Factors in a Chiral Constituent-Quark Model,
Phys. Rev. **C60** (1999) 025206-1/6;
- 21) S.M. Dolfini, R.O. Alarcon, H. Arenhövel, R. Beck, A.M. Bernstein, W. Bertozzi, W. Boeglin, S. Boffi, J.R. Comfort, D. Dale, G. Dodson, K. Dow, M.B. Epstein, M. Farkhondeh, S. Gilad, J. Görgen, M. Holtrop, D. Jordan, W. Kim, S. Kowalski, R. Laszewski, J. Mandeville, D.J. Margaziotis,

D. Martinez, T. McIlvain, R. Miskimen, C. Papanicolas, **M. Radici**, D. Tieger, W. Turchinetz, C.E. Vellidis, L. Weinstein e S. Williamson,

Out-of-plane measurements of the fifth structure function of the exclusive electronuclear response,

Phys. Rev. **C60** (1999) 064622-1/21;

- 22) A. Bianconi, S. Boffi, R. Jakob e **M. Radici**,
Two-hadron Interference Fragmentation Functions. Part I: General Framework,
Phys. Rev. **D62** (2000) 034008-1/11;
- 23) A. Bianconi, S. Boffi, R. Jakob e **M. Radici**,
Two-hadron Interference Fragmentation Functions. Part II: a Model Calculation,
Phys. Rev. **D62** (2000) 034009-1/13;
- 24) R.F. Wagenbrunn, **M. Radici**, S. Boffi e P. Demetriou,
Nucleon Magnetic Moments in an Extended Chiral Constituent Quark Model,
Eur. Phys. J. **A8** (2000) 385-388;
- 25) R.F. Wagenbrunn, S. Boffi, W. Klink, W. Plessas e **M. Radici**,
Covariant Nucleon Electromagnetic Form Factors from the Goldstone-boson-exchange Quark Model,
Phys. Lett. **B511** (2001) 33-39;
- 26) L.Ya. Glozman, **M. Radici**, R.F. Wagenbrunn, S. Boffi, W. Klink e W. Plessas,
Covariant axial form factor of the nucleon in a chiral constituent quark model,
Phys. Lett. **B516** (2001) 183-190;
- 27) S. Boffi, L.Ya. Glozman, W. Klink, W. Plessas, **M. Radici** e R.F. Wagenbrunn,
Covariant Electroweak Nucleon Form Factors in a Chiral Constituent-quark Model,
Eur. Phys. J. **A14** (2002) 17-21;

- 28) **M. Radici**, R. Jakob e A. Bianconi,
Accessing transversity with interference fragmentation functions,
Phys. Rev. D**65** (2002) 074031-1/14;
- 29) **M. Radici**, W.H. Dickhoff e E. Roth Stoddard,
Consistency of spectroscopic factors from $(e, e' p)$ reactions at different momentum transfers,
Phys. Rev. C**66** (2002) 014613-1/13;
- 30) **M. Radici**, A. Meucci e W.H. Dickhoff,
Spectroscopic information from different theoretical descriptions of (un)polarized $(e, e' p)$ reactions,
Eur. Phys. J. A**17** (2003) 65-69;
- 31) P. Schweitzer, S. Boffi e **M. Radici**,
Polynomiality of off-forward distribution functions and the D-term in the chiral quark soliton model,
Phys. Rev. D**66** (2002) 114004-1/12;
- 32) A. Bacchetta e **M. Radici**,
Partial-wave analysis of two-hadron fragmentation functions,
Phys. Rev. D**67** (2003) 094002-1/20;
- 33) D. Boer, R. Jakob e **M. Radici**,
Interference fragmentation functions in electron-positron annihilation,
Phys. Rev. D**67** (2003) 094003-1/12;
- 34) A. Bacchetta e **M. Radici**,
Two-hadron semi-inclusive production including subleading twist,
Phys. Rev. D**69** (2004) 074026-1/13;
- 35) A. Bacchetta e **M. Radici**,
Dihadron interference fragmentation functions in proton-proton collisions,
Phys. Rev. D**70** (2004) 094032-1/11;

- 36) A. Bianconi e **M. Radici**,
Monte Carlo simulation of events with Drell-Yan lepton pairs from antiproton-proton collisions,
 Phys. Rev. D**71** (2005) 074014-1/15;
- 37) A. Bianconi e **M. Radici**,
Azimuthal asymmetries in unpolarized Drell-Yan events on nuclear targets,
 J. Phys. G **31** (2005) 645-657;
- 38) A. Bianconi e **M. Radici**,
Monte Carlo simulation of events with Drell-Yan lepton pairs from antiproton-proton collisions: the fully polarized case,
 Phys. Rev. D**72** (2005) 074013-1/12;
- 39) A. Bianconi e **M. Radici**,
Monte Carlo simulation of the Sivers effect in high-energy proton-proton collisions,
 Phys. Rev. D**73** (2006) 034018-1/14;
- 40) A. Bianconi e **M. Radici**,
Monte Carlo simulation of single spin asymmetries in pion-proton collisions,
 Phys. Rev. D**73** (2006) 114002-1/11;
- 41) A. Bianconi, B. Pasquini e **M. Radici**,
Extraction of proton form factors in the timelike region from unpolarized $e^+e^- \rightarrow p\bar{p}$ events,
 Phys. Rev. D**74** (2006) 034009-1/8;
- 42) A. Bianconi, B. Pasquini e **M. Radici**,
Extraction of proton form factors in the timelike region from single-polarized $e^+e^- \rightarrow \vec{p}\bar{p}$ events,
 Phys. Rev. D**74** (2006) 074012-1/8;
- 43) A. Bacchetta e **M. Radici**,
Modeling dihadron fragmentation functions,
 Phys. Rev. D**74** (2006) 114007-1/14.

b) relazioni a congressi su invito

- 1) **M. Radici**,
Spin Degrees of Freedom in Nucleon Knockout,
lezione su invito al 7th Course and 2nd Winter Course of "International School of Intermediate Energy Nuclear Physics", eds. S. Costa, C. Schaerf e G. Orlandini (World Scientific, Singapore, 1992) p. 214-234 ;
- 2) **M. Radici**, S. Boffi, V.R. Pandharipande e S.C. Pieper,
Final State Correlations in Realistic ($e, e'p$) Calculations,
relazione su invito a "6th Workshop on Perspectives in Nuclear Physics at Intermediate Energies", eds. S. Boffi, C. Ciofi degli Atti e M.M. Giannini (World Scientific, Singapore, 1994) p. 256-265;
- 3) S. Boffi, C. Giusti, F.D. Pacati e **M. Radici**,
Direct Two-Nucleon Emission Induced by an Electromagnetic Probe,
relazione su invito a "6th Workshop on Perspectives in Nuclear Physics at Intermediate Energies", eds. S. Boffi, C. Ciofi degli Atti e M.M. Giannini (World Scientific, Singapore, 1994) p. 299-308;
- 4) **M. Radici**,
Final State Interactions in ($e, e'p$),
relazione su invito a "Workshop on Electron-Nucleus Scattering", eds. O. Benhar, A. Fabrocini e R. Schiavilla (World Scientific, Singapore, 1994) p. 121-129;
- 5) **M. Radici**,
Asymmetry Measurements with Polarized Electron Beams: Theoretical Perspectives,
intervento su invito a "European Research Conference on Nuclear Physics - Polarization in Electron Scattering", European Science Foundation (ESF), Santorini (Greece), 12-17 September 1995, p. 50-51;
- 6) P. Demetriou, S. Boffi, **M. Radici**, e R.F. Wagenbrunn,
Nucleon Electromagnetic Form Factors in a chiral Constituent-quark Model,

relazione su invito a "2nd International Conference on Perspectives in Hadronic Physics", eds. S. Boffi, C. Ciofi degli Atti e M.M. Giannini (World Scientific, Singapore, 2000) pag. 235-244;

- 7) S. Boffi, R. Jakob, **M. Radici**, e A. Bianconi,
Interference Fragmentation Functions in Deep-inelastic Scattering,
relazione su invito a "2nd International Conference on Perspectives in Hadronic Physics", eds. S. Boffi, C. Ciofi degli Atti e M.M. Giannini (World Scientific, Singapore, 2000) pag. 467-478;
- 8) **M. Radici**,
Calculation of T-odd fragmentation functions in semi-inclusive processes,
relazione su invito a "RIKEN BNL Workshop on Future Transversity Measurements", Brookhaven, 18-20 Settembre 2000, BNL-52612 vol. 29 (2001)
pag. 195-204;
- 9) **M. Radici**,
T-odd Fragmentation Functions,
relazione su invito a "3rd International Conference on Perspectives in Hadronic Physics", Nucl. Phys. **A699** (2002) 144c-147c;
- 10) W. Plessas, S. Boffi, L.Ya. Glozman, W. Klink, **M. Radici** e R.F. Wagenbrunn,
Nucleon properties in a semirelativistic chiral quark model,
relazione su invito a "3rd International Conference on Perspectives in Hadronic Physics", Nucl. Phys. **A699** (2002) 312c-315c;
- 11) W.H. Dickhoff, E.P. Roth e **M. Radici**,
Relevance of high-momentum nucleons for nuclear phenomena,
relazione su invito a "Vth Workshop on Electromagnetically induced two-hadron emission", eds. P. Grabmayr *et al.* (Univ. Lund, pubblicato su CD, ISBN 91-631-1612-X, 2001) p. 232-241;
- 12) W. Klink, S. Boffi, L.Ya. Glozman, W. Plessas, **M. Radici** e R.F. Wagenbrunn,
Coupled Channel Formulation of Decays in the Point Form Goldstone Boson Exchange Model,

relazione su invito a "Mini-Workshop on Selected Few-body Problems in Hadronic and Atomic Physics", Bled Workshops in Physics **2**, eds. B. Golli, R. Krivec and M. Rosina (DMFA, Ljubljana, 2001) pag. 7-9;

- 13) W. Plessas, R.F. Wagenbrunn, S. Boffi, L.Ya. Glozman, W. Klink e **M. Radici**,

Covariant electromagnetic and axial nucleon form factors in the Goldstone boson exchange constituent quark model,

relazione su invito a "Mini-Workshop on Selected Few-body Problems in Hadronic and Atomic Physics", Bled Workshops in Physics **2**, eds. B. Golli, R. Krivec and M. Rosina (DMFA, Ljubljana, 2001) pag. 32-37;

- 14) **M. Radici**,

Addressing transversity with interference fragmentation functions,

relazione su invito a "2nd International Symposium on the Gerasimov-Drell-Hearn sum rule and the spin structure of the nucleon", Genova, 3-6 Luglio 2002, eds. M. Anghinolfi, M. Battaglieri e R. De Vita (World Scientific, Singapore, 2003) p. 397-402;

- 15) **M. Radici**,

Baryon Structure,

relazione generale su invito a "Theoretical Nuclear Physics in Italy - Proceedings of the IX Conference on Problems in Theoretical Nuclear Physics", eds. S. Boffi, A. Covello, M. Di Toro, A. Fabrocini, G. Pisent e S. Rosati (World Scientific, Singapore, 2003) pag. 117-136;

- 16) **M. Radici**,

How to Study Quark Spin without Spin,

relazione su invito a "The 2nd PANDA Physics Workshop", Frascati, 18-19 Marzo 2004, [hep-ph/0407085](#);

- 17) **M. Radici**,

The transverse spin structure of the hadrons,

relazione su invito a "The partonic spin structure of hadrons (concepts and phenomenology)", ECT* (Trento) 9-14 maggio 2005;

- 18) **M. Radici**,
Transversity and two-pion inclusive production,
relazione su invito a "International Workshop on Semi-Inclusive Reactions and 3D-Parton Distributions (SIR2005)", Jefferson Laboratory - Newport News (Virginia-USA) 18-20 maggio 2005;
- 19) **M. Radici**,
Perspectives about the transverse spin structure of hadrons,
relazione su invito a "ASI Conference on Symmetries and Spin (Spin-Praha-2005)", Praga 27 luglio - 3 agosto 2005, Czech. J. Phys. **56** (2006) Suppl. C, C107-C124;
- 20) **M. Radici**,
Alternative approaches to transversity: how convenient and feasible are they?,
relazione su invito a "International Conference on Transverse Polarization Phenomena in Hard Processes (Transversity 2005)", Villa Olmo (Como) 7-10 settembre 2005, eds. V. Barone e P.G. Ratcliffe (World Scientific, Singapore,2006) pag. 268-275;
- 21) **M. Radici**,
Di-hadron fragmentation functions,
relazione su invito a "Workshop on Physics with Polarized Protons at RHIC-II", Brookhaven National Laboratory - Upton (New York-USA) 7-8 ottobre 2005;
- 22) **M. Radici**,
Transversity and two-pion inclusive production,
relazione su invito a "2nd Workshop on the QCD structure of the Nucleon (QCDN'06)", Villa Mondragone - Monte Porzio Catone (Roma) 12-16 giugno 2006.

bb) Comunicazioni pubblicate in atti di congressi

- 1) S. Boffi, C. Giusti, F. D. Pacati e **M. Radici**,
New Physics from the (e,e'N) Reaction,
CEBAF 1986 Summer Workshop, eds. F. Gross e R. Minehart (CEBAF,
Newport News, Virginia, 1986) 133-167;
- 2) S. Boffi, O. Nicrosini e **M. Radici**,
Nuclear Charge Form Factor in the Topological Soliton Model,
"First European Workshop on Hadronic Physics in the 1990's with Multi-
Gev Electrons", Seillac (France), 27 Giugno - 1 Luglio 1988;
- 3) S. Boffi, O. Nicrosini e **M. Radici**,
Nuclear Charge Form Factor in the Topological Soliton Model,
Bollettino del "LXXIV Congresso Nazionale della Società Italiana di Fisica",
SIF (Urbino 6-11 ottobre 1988) p. 42-43;
- 4) S. Boffi e **M. Radici**,
Meson-Exchange Currents and Isobar Configurations in Knockout Reactions,
"Perspectives on Theoretical Nuclear Physics - Proceedings of the Terzo
Convegno su Problemi di Fisica Nucleare e Teorica", eds. L. Bracci, P.
Christillin, A. Fabrocini, S. Fantoni, G. Fiorentini, A. Kievsky, M. Rosa-
Clot, S. Rosati e M. Viviani (ETS Pisa 1989) vol.3, p. 148-155;
- 5) S. Boffi, C. Giusti, F.D. Pacati e **M. Radici**,
*Nucleon Recoil Polarization in Quasi-elastic Electron Scattering with Two-
body Currents*,
"Future of Nuclear Physics in Europe with Polarized Electrons and Photons", eds. J.-P. Didelez e G. Tamas (Orsay, 4-7 luglio 1990) p. 44-52;
- 6) S. Boffi, C. Giusti, F. D. Pacati e **M. Radici**,
Meson-Exchange Effects on the Proton Recoil Polarization in Electromagnetic Knockout Reactions,

”Paris 90 - 7th International Conference on Polarization Phenomena in Nuclear Physics”, eds. A. Boudard e Y. Terrien (Parigi, 9-13 luglio 1990) p. 1C;

- 7) **M. Radici**,
Electromagnetic Knockout of Correlated Protons,
”Perspectives of Theoretical Nuclear Physics - Proceedings of the Quinto Convegno su Problemi di Fisica Nucleare e Teorica”, eds. A. Bonaccorso, A. Fabrocini, A. Kievsky, S. Rosati e M. Viviani (ETS, Pisa, 1994) p. 89-98;
- 8) **M. Radici**,
Beyond the Mean-field Approach in Electromagnetic Knockout Reactions,
Proceedings del ”8th Amsterdam Miniconference on Correlations in Hadronic Systems”, eds. E. Jans, L. Lapikás, P.J. Mulders e J. Oberski (CWI, Amsterdam, 1994) p. 51-57;
- 9) **M. Radici**,
Electromagnetic Emission of High-Energy Nucleons,
”Perspectives on Theoretical Nuclear Physics - Proceedings of the Sesto Convegno su Problemi di Fisica Nucleare e Teorica”, eds. A. Bonaccorso, A. Fabrocini, A. Kievsky, S. Rosati e M. Viviani (ETS, Pisa, 1996), p. 145-155;
- 10) E. Perazzi, **M. Radici** e S. Boffi,
Gluon and Pion Exchange Currents in the Electromagnetic Excitation of Baryon Resonances,
”Prospects of Hadron and Quark Physics with Electromagnetic Probes”, Proceedings of the Second ELFE Workshop on Hadronic Physics, St. Malo, 23-27 Settembre 1996, eds. N. D’Hose, B. Frois, P.A.M. Guichon, B. Pire and J. Van de Wiele, pag. 19-22;
- 11) **M. Radici**,
New Aspects of the Eikonal Approximation for High-energy Proton Emission,
”Prospects of Hadron and Quark Physics with Electromagnetic Probes”, Proceedings of the Second ELFE Workshop on Hadronic Physics, St. Malo,

23-27 Settembre 1996, eds. N. D'Hose, B. Frois, P.A.M. Guichon, B. Pire e J. Van de Wiele, pag. 93-97;

- 12) A. Polls, **M. Radici**, S. Boffi, W.H. Dickhoff e H. Müther,
Single-particle Spectral Function for ^{16}O and the $(e, e'p)$ Cross Section,
Proceedings del Workshop on Electron-Nucleus Scattering, EIPC - Marciana Marina (LI), 1-5 Luglio 1996, eds. O. Benhar e A. Fabrocini (Edizioni ETS, Pisa, 1997) p. 350-362;
- 13) **M. Radici**,
New Features of the Eikonal Approximation in (Polarized) Electromagnetic Proton Emission from Nuclei,
Proceedings del International Conference on "Advances in Nuclear Physics and Related Areas", Salonicco (Grecia), 8-13 Luglio 1997, eds. D.M. Brink, M.E. Grypeos e S.E. Massen (Giahoudi-Giapouli Publishing, Salonicco, 1999) p. 423-428;
- 14) P. Demetriou, S. Boffi, F. Capuzzi, e **M. Radici**,
Charge-current Operators Consistent with a Semi-relativistic Hamiltonian,
Proceedings del "Joint ECT*/TJNAF Workshop on N^* Physics and Non-perturbative QCD", Trento, 18-29 Maggio 1998, Few-Body System Suppl. **11** (Springer, Vienna, 1999) p. 74-77;
- 15) S. Boffi, P. Demetriou, **M. Radici** e R.F. Wagenbrunn,
Nucleon Form Factors in a Chiral Constituent-Quark Model,
Proceedings del "8th International Conference on the Structure of Baryons (BARYON98), Bonn, 22-26 Settembre 1998, eds. D.W. Menze e B. Metsch (World Scientific, Singapore, 1999) p. 427-430;
- 16) S. Boffi, F. Capuzzi, P. Demetriou e **M. Radici**,
Semirelativistic Approach to Current Operator and its Applications,
"Perspectives on Theoretical Nuclear Physics - Proceedings of the VII Convegno su Problemi di Fisica Nucleare e Teorica", eds. A. Fabrocini, G. Pisent e S. Rosati (ETS, Pisa, 1999) p. 211-218;
- 17) **M. Radici**,
Two-Hadron Inclusive DIS and Interference Fragmentation Functions,

Proceedings del Workshop on an Electron Polarized Ion Collider (EPIC99), eds. L.C. Bland, J.T. Lonergan e A.P. Szczepaniak (World Scientific, Singapore, 2000) pag. 113-122;

- 18) P. Demetriou, S. Boffi, **M. Radici**, e R.F. Wagenbrunn,
Nucleon Electromagnetic Form Factors in a Constituent-Quark Model,
Condensed Matter Theories, vol. 15, eds. G.S. Anagnostatos, R.F. Bishop, K.A. Gernoth, J. Giapitzakis, P. Ginis e A. Theophilou (Nova Science Publishers, Huntington NY, 2000) pag. 253-261;
- 19) A. Bianconi, S. Boffi, R. Jakob e **M. Radici**,
Funzioni di frammentazione di un quark in due adroni,
Proceedings del LXXXV Congresso Nazionale della Società Italiana di Fisica, 20-24 Settembre 1999, Pavia (Italy), p. 143;
- 20) A. Bianconi, S. Boffi, R. Jakob e **M. Radici**,
Two-hadron interference fragmentation functions,
European Research Conference on "Electromagnetic Interactions with Nucleons and Nuclei", European Science Foundation (ESF), Santorini (Grecia), 5-10 Ottobre 1999, p. 25;
- 21) S. Boffi, P. Demetriou, **M. Radici** e R.F. Wagenbrunn,
Electromagnetic properties of hadrons in a chiral constituent-quark model,
Proceedings del International Conference on Quark Nuclear Physics (QNP2000), Nucl. Phys. **A680** (2001) 80c-83c;
- 22) R.F. Wagenbrunn, **M. Radici** e S. Boffi,
Electromagnetic properties of light nucleon resonances in a chiral constituent-quark model,
Proceedings del International Conference on Quark Confinement and the Hadron Spectrum IV, Vienna (Austria), 3-8 Luglio 2000, eds. W. Lucha e Khin Maung Maung (World Scientific, Singapore, 2001) p. 306-308;
- 23) A. Bianconi, S. Boffi, D. Boer, R. Jakob e **M. Radici**,
Calculation of fragmentation functions in two-hadron semi-inclusive processes,

Proceedings del Second Workshop on Physics with an Electron Polarized Light Ion Collider (EPIC2000), MIT, 14-15 Settembre 2000, ed. R.G. Milner (AIP, Melville, 2001) vol. 588, p. 240-244;

- 24) **M. Radici**,
Elastic Form Factors in Point Form Approach,
Proceedings del VIII Conference on Problems in Theoretical Nuclear Physics - Theoretical Nuclear Physics in Italy”, Cortona, 18-20 Ottobre 2000, eds. G. Pisent, S. Boffi, L. Canton, A. Covello, A. Fabrocini e S. Rosati, (World Scientific, Singapore, 2001) p. 301-308;
- 25) S. Boffi, **M. Radici**, L.Ya. Glozman, R.F. Wagenbrunn, W. Plessas e W.Klink,
Electroweak properties of baryons in a covariant chiral quark model,
Proceedings del Workshop on Physics of Excited Nucleons (NSTAR2001), Mainz, 7-10 Marzo 2001, eds. D. Drechsel e L. Tiator, (World Scientific, Singapore, 2001) p. 213-216;
- 26) **M. Radici**,
Interference Fragmentation Functions and Spin Asymmetries,
Proceedings del 9th International Workshop on Deep Inelastic Scattering (DIS2001), Bologna, 27 Aprile - 1 Maggio 2001, eds. G. Bruni, G. Iacobucci e R. Nania (World Scientific, Singapore, 2002) p. 626-629;
- 27) R.F. Wagenbrunn, S. Boffi, L. Glozman, W. Klink, W. Plessas e **M. Radici**,
Covariant electromagnetic and axial form factors of the nucleon from a chiral quark model,
Proceedings del 8th Meeting on Mesons and Light Nuclei, Praga (Repubblica Ceca), 2-6 Luglio 2001, AIP Conf. Proc. **603** (2001) 319-322;
- 28) S. Boffi, **M. Radici**, L.Ya. Glozman, W. Plessas, R.F. Wagenbrunn e W. Klink,
Electroweak properties of the nucleon in a chiral constituent quark model,
Proceedings del 9th International Conference on the Structure of the Baryons (Baryons2002), Jefferson Lab, Newport News (Virginia-USA), 3-8 Marzo 2002, eds. C. Carlson e B. Mecking (World Scientific, Singapore, 2003) p. 367-370;

- 29) P. Schweitzer, S. Boffi e **M. Radici**,
Polynomiality of off-forward distribution functions in the chiral quark soliton model,
Proceedings del European Workshop on the QCD structure of the Nucleon, Ferrara, 3-6 Aprile 2002, Nucl. Phys. **A711** (2002) 207-210;
- 30) R.F. Wagenbrunn, S. Boffi, L.Ya. Glozman, W. Klink, W. Plessas, e **M. Radici**,
Relativistic study of nucleon electroweak properties in a constituent-quark model,
Proceedings del International Conference on Quark Nuclear Physics (QNP2002), Eur. Phys. J. **A18** (2003) 155-158;
- 31) R.F. Wagenbrunn, S. Boffi, L. Glozman, W. Klink, W. Plessas e **M. Radici**,
Nucleon electromagnetic and axial form factors in point-form relativistic quantum mechanics,
Proceedings del XVIII European Conference on Few-Body Problems in Physics, Bled (Slovenia), Settembre 2002, Few-Body Systems Suppl. **14** (2003) 411-414;
- 32) A. Bacchetta e **M. Radici**,
Single-Spin Asymmetries with Two-hadron Fragmentation Functions,
Proceedings del 12th International Workshop on Deep-Inelastic Scattering (DIS2004), Strbske Pleso, Slovakia, 14-18 Aprile 2004, eds. D. Bruncko, J. Ferencei e P. Strizenec (Kosice, Inst. Exp. Phys. SAS, 2004) pag. 1068-1071;
- 33) A. Bacchetta e **M. Radici**,
Transversity and dihadron fragmentation functions,
Proceedings del 16th International Spin Physics Symposium (SPIN2004), Trieste, 10-16 Ottobre 2004, (World Scientific, Singapore, 2005);
- 34) **M. Radici**,
Partonic structure of the Nucleon in QCD and Nuclear Physics: new developments from old ideas,
Proceedings del "X Conference on Problems in Theoretical Nuclear Physics - Theoretical Nuclear Physics in Italy", Cortona, 6-9 Ottobre 2004, eds. S. Boffi *et al.* (World Scientific, Singapore, 2005) pag. 221-228;

- 35) M. Maggiora *et al.* (ASSIA collaboration),
Spin Physics with Antiprotons,
Proceedings del "ASI Conference on Symmetries and Spin (Spin-Praha-2004)", Praga 5-10 luglio 2004, Czech. J. Phys. **55** (2005) Suppl. A, A75-A92;
- 36) **M. Radici**,
Perspectives about the transverse spin structure of hadrons,
relazione su invito a "ASI Conference on Symmetries and Spin (Spin-Praha-2005)", Praga 27 luglio - 3 agosto 2005, Czech. J. Phys. **56** (2006) Suppl. C, C107-C124;
- 37) **M. Radici**,
Alternative approaches to transversity: how convenient and feasible are they?,
relazione su invito a "International Conference on Transverse Polarization Phenomena in Hard Processes (Transversity 2005)", Villa Olmo (Como) 7-10 settembre 2005, eds. V. Barone e P.G. Ratcliffe (World Scientific, Singapore,2006) pag. 268-275.

c) Libri

- 1) S. Boffi, C. Giusti, F.D. Pacati e **M. Radici**,
Electromagnetic Response of Atomic Nuclei,
"Oxford Studies in Nuclear Physics", vol. 20 (Oxford University Press,
Oxford, 1996).

d) Altre pubblicazioni

- 1) **M. Radici**,
Solitoni in Fisica Nucleare,
"Scientifica Acta - Quaderni del Dottorato", vol. III, anno III, n. 1, Università degli Studi di Pavia (Pavia, 1988) p. 51-82;
- 2) **M. Radici**,
Correnti di scambio e reazioni di Knockout,
tesi di Dottorato di Ricerca in Fisica, (Università degli Studi di Pavia, 1989)
depositata presso le Biblioteche Nazionali di Firenze e Roma;
- 3) H. Breuer, N.S. Chant, J.J. Kelly, T.M. Payerle, P.G. Roos, J.M. Finn,
R.W. Lourie, P.E. Ulmer, B.D. Anderson, A.R. Baldwin, R. Madey, D.M.
Manley, J.W. Watson, W.M. Zhang, W. Bertozzi, L. Weinstein, D. Tieger,
S. Boffi, **M. Radici**,
Isobar Contribution to $^{17}O(e,e'n)$ Response Functions,
spokesmen: J.J.Kelly, R.Madey, Proposal presentato al PAC del MIT/Bates
Laboratory e accettato il 22 febbraio 1991;
- 4) **M. Radici** e G. van der Steenhoven,
The new transversity council of Trento,
CERN COURIER **44** n. 8 (2004) 51-53;

- 5) V. Abazov *et al.* (ASSIA Collaboration),
A Study of Spin-dependent Interactions with Antiprotons: the structure of the nucleon,
[hep-ex/0507077](#);
- 6) F. Ambrosino, F. Anulli, D. Babusci, S. Bianco, C. Bini, N. Brambilla, R. De Sangro, P. Gauzzi, P.M. Gensini, S. Giovannella, V. Muccifora, M. Negrini, F. Nguyen, S. Pacetti, G. Pancheri, M. Passera, A. Passeri, A.D. Polosa, **M. Radici**, Y.N. Srivastava, A. Vairo, G. Venanzoni e G. Violini,
Prospects for e+e- physics at Frascati between the phi and the psi,
LNF-06-11-IR-, [hep-ex/0603056](#).